



रिफाइनरी प्रभाग
Refineries Division

इंडियन ऑयल कॉर्पोरेशन लिमिटेड

गुजरात रिफाइनरी, डाकघर : जवाहरनगर
जिला - वडोदरा - गुजरात - 391 320

Indian Oil Corporation Limited

Gujarat Refinery, P.O. Jawaharnagar,
Dist. : Vadodara, Gujarat - 391 320

दुरभाष : + 91-265-2237106

ई-मेल : gujaratrefinery@indianoil.in वेबसाइट : www.iocl.com



Ref: HSE/EP/MoEF/2025

01.12.2025

To,
Dr. Yogesh
Scientist 'C', Ministry of Environment, Forest & Climate change
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office, Gandhi Nagar A wing- 407 & 409,
Aranya Bhawan, Near CH-3 Circle, Sector-10A, Gandhi Nagar-382010

Sub: Status of EC conditions for BS-IV & BS-VI, LuPech project at Gujarat Refinery & Acrylics/oxo alcohol & other projects at Dumad

Dear Sir

The compliance status of Environmental Compliance conditions specified in EC letter of the subject projects is enclosed herewith, for your kind information.

Thanking You,


B B Makwana
Deputy General Manager (HSE)
Gujarat Refinery

वी. बी. मक्वाणा
B.B. MAKWANA
उप महाप्रबंधक (एच.एस & ई.)
Dy. General Manager (H, S & E)
गुजरात रिफाइनरी, आई.ओ.सी.एल., वडोदरा
Gujarat Refinery, IOC, Vadodara

Encl: As above

CC: The Member Secretary
Gujarat Pollution Control Board
Paryavaran Bhavan
Sector - 10 A
Gandhinagar - 382021

Page 1 of 31

DESCRIPTIVE REPORT ON STATUS OF COMPLIANCE TO CONDITIONS OF ENVIRONMENT CLEARANCE AND ENVIRONMENT MANAGEMENT

Compliance status (for the period of Apr'25- Sep'25) of Environmental clearance issued by MoEF&CC, New Delhi. Environment Clearance Reference letter No. **J-11011/96/2015-IA-II (I)** Dated **20.03.2017**.

Detail of project: BS-IV and BS-VI project at Gujarat Refinery. As per the Auto fuel vision and policy 2025, refinery has to switched over completely to BS-IV in April'17 and 100% BS-VI in Jan'20.

A. SPECIFIC CONDITIONS:

Sr. No	Stipulations	Compliance Status as on 31.10.2025
1	All Pollution control and monitoring equipment shall be installed, tested and interlocked with the process, SPCB shall grant 'consent to Operate' after ensuring that all the mentioned pollution control equipment, construction of storm water drain, rain water harvesting structure, Green belt, uploading of compliance report on the website etc have been implemented.	<p>Complied</p> <p>Air pollution monitoring systems are installed at emission sources. Storm water drain and 75No. rainwater harvesting structures exist at Gujarat Refinery.</p> <p>Total of 16000 saplings have been planted in head works area in 21acres. Existing green belt of 148 acres is being maintained and every year about 5000 trees are planted to overcome any loss of trees. Gujarat Refinery has developed a Miyawalki in an area of 1600m² with a plantation of 1850 Trees.</p> <p>Compliance report is regularly uploaded on the Company website. Web link where the compliance report is uploaded:</p> <p>https://www.iocl.com/statutory-notices</p>
2	SO ₂ emissions after expansion from the plant shall not exceed 900 kg/hr and further efforts shall be made for reduction of SO ₂ load through use of low sulphur fuel. Sulphur recovery units shall be installed for control of H ₂ S emissions.	<p>Complied</p> <p>Average SO₂ emissions from refinery is 351.38 kg/hr for the period Apr'25 to Sep'25</p> <p>Fuel gas with sulphur <50ppm, IFO with Sulphur<0.5% & maximization of Natural gas with nil H₂S is being used as fuel.</p> <p>Sulphur recovery units with efficiency >99.5% are already in place to control H₂S emissions.</p>
3	Ambient air quality data shall be collected as per NAAQS standards notified by the Ministry vide	<p>Complied</p> <p>The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. no. 826(E) dated</p>

	<p>G.S.R. No. 826(E) dated 16th September, 2009. The Levels of PM₁₀, PM_{2.5}, SO₂, NO_x, VOC and CO shall be monitored in the ambient air emissions from the stacks and displayed at a convenient location near the main gate of the company and at important public places. The company shall upload the result of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective zonal office of CPCB and the state pollution Control Board (SPCB).</p>	<p>16th November, 2009 are being followed at Gujarat Refinery.</p> <p>Following measures are taken for monitoring of pollutants level:</p> <ul style="list-style-type: none"> • Real-time monitoring and manual monitoring of stack emissions and ambient air quality is done on regular basis. • 1 no's of mobile van for measurement of Ambient air quality in and around refinery is also available. • Manual monitoring on monthly basis is done by NABET accredited environment auditor. • Online ambient air and stack monitoring data are connected to the CPCB and GPCB server for continuous monitoring and it is available in public domain.
4	<p>In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, Closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the SPCB.</p>	<p>Complied.</p> <p>Control measures for checking fugitive emissions from vulnerable sources have been provided. Gas detectors in process units and tank farm area are present to detect gas leakage at minimum concentrations.</p> <p>Various measures have been undertaken at Gujarat refinery to control fugitive emission like :</p> <ul style="list-style-type: none"> • Monthly measurement of volatile organic carbon (VOC) • Monthly detection of leaks in pumps, compressors, tanks etc through Leak Detection and Repair (LDAR) program (conducted monthly). • Provision of primary and secondary seal (double seals) in floating roof tanks . • Provision of double mechanical seals in Class A product tanks. • Provision of double mechanical seals to prevent VOC Emissions. • Provision of Dust Supression system at Pet Coke yard.
5	<p>The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollutions.</p>	<p>Not applicable</p> <p>Emergency power is taken from Gujarat Electricity Board (GEB) and DG sets are not available at Gujarat Refinery. Hence, the condition is not applicable.</p>

6	The total fresh water requirement from Mahi River shall not exceed 60.07 MLD and prior permissions shall be obtained from the Competent Authority. No ground water shall be used without permission.	complied Total freshwater requirement from Mahi River will remain within 60.07 MLD. No additional groundwater will be used without prior permission. For the period Apr'25 to Sep'25, Average consumption of fresh water for industrial use is 32.72 MLD
7	Waste water shall be sent to CETP and balanced quantity of treated effluent shall be discharge to Vadodara Enviro Channel Ltd. (VECL) which is finally discharged into Gulf of Khambat.	Complied Wastewater from all process units are sent to CETP. Treated water from CETP is reused in Cooling towers and RO/DM plant. RO Plant reject is discharged to VECL, which is finally discharged into Gulf of Khambat.
8	Automatic/online monitoring system (24 X 7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.	Complied a) Online monitoring system for flow measurement and pH, COD, BOD and TSS in the treatment system is already installed. b) Connectivity of online analysers for pH, COD, BOD and TSS with GPCB/CPCB server has been completed by May '2016.
9	Adequate odour management plan and its mitigation measure to be implemented on priority.	Complied. VOC LDAR Program is being carried out regularly. Gujarat refinery has installed odour control system at the boundary wall of CETP to eliminate any foul smell.
10	Regular VOC monitoring to be done at vulnerable points.	Complied. VOC emissions are monitored by VOC Leak Detection and repair (LDAR) Program. Gujarat Refinery engaged an external agency to monitor the leaks as per defined monthly schedule. Any observations are being immediately attended to arrest leakage.
11	The oily sludge shall be subjected to melting pit for oily recovery and the residue shall be bio-remediated. The sludge shall be stored in HDPE lined pit with proper leachate collection system.	Complied. The oily sludge is subjected to melting pit and oil recovery is done. The residual sludge thereby generated is sent for authorized Pre-processing facilities and Co-processing to Cement plants.
12	Comprehensive water audit to be conducted on annual basis and report to the concerned Regional Office of MoEF&CC, Outcome from the report to be implemented for conservation scheme.	Complied. On daily basis, Fresh water consumption and treated water reuse is being monitored. Corrective actions taken immediately for reduction of fresh water and water losses. Comprehensive Environment Audit by GPCB

		Schedule-1 Auditor is done on annual basis with a frequency of 3 visits in a financial year.
13	Oil catchers / oil traps shall be provided at all possible locations in rain/ storm water drainage system inside the factory premises.	<p>Complied.</p> <p>Oil catchers are provided at strategic locations like near flare, near Daula kuan pump house and final outlet of open channel in rain/storm water drainage system to prevent the possibility of oil contamination in storm water channel.</p> <p>Also Hay filter has been installed in the final Storm water channel point in order to free the water from oil, if any.</p>
14	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm. Solvent transfer shall be by pumps.	<p>Complied.</p> <p>Hazardous chemicals are stored in tanks, tank farms, drums, carboys etc. Flame arresters/earthing are provided on tank farm. Material transfer is being done by pumps in the process units.</p>
15	The company shall Strictly comply with the rules and guidelines under Manufacture, Storage and import of Hazardous Chemicals (MSIHC) Rule, 1989 as amended time to time. All Transportation of Hazardous chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	<p>Complied</p> <p>Rules and guidelines under Manufacture, Storage and import of Hazardous Chemicals (MSIHC) Rule, 1989 are being followed. Transportation of Hazardous Chemicals are as per the Motor Vehicle Act, 1989.</p> <p>The MSIHC audit is carried out through external agency and observations are complied</p>
16	The unit shall make the arrangement for the protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.	<p>Complied</p> <p>Gujarat Refinery is following ERDMP certified through PNGRB approved agency. Quarterly onsite/offsite mock drills are conducted.</p> <p>Full-fledged fire protective measures are available, which includes:</p> <ul style="list-style-type: none"> • 11 fire tenders consist of 2 foam nurser, • One emergency rescue tender • One hydraulic platform for firefighting and rescue operation at height. • Charged Fire water network all across the units and building <p>Fire-fighting facilities are updated time to time as per norms.</p>
17	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories	<p>Complied.</p> <p>Occupational health surveillance of workers are being done on regular basis and records are being maintained as per the Factories Act.</p>

	Act.	<p>The Gujarat Refinery has a well-established Occupational Health Centre, which harmoniously combines environmental protection and health promotion of the employee.</p> <p>To maintain the healthy workforce, refinery's OHC focuses on:</p> <ul style="list-style-type: none"> • Regular PME checkups of employees handling hazardous material like Benzene, CO, Cl₂, H₂S, SO₂, LPG and employees working as welders, loco operator, drivers, and radiographers. • Well person medical examination of executives above 40 years of age. • Audiometry of employees working in high noise areas (Turbines, Boilers, Steam-air line, Pump houses). • Titmus Vision testing of all employees. • Pulmonary function test of all employees. • CISF yearly medical checkup. • Health education training to the employees. • Pre-employment medical checkup • Industrial canteen visit by Dietician. • Regular Toxic Gas level monitoring & sound level monitoring by industrial hygienist. <p>In addition to that Gujarat Refinery has a well-established 24 bedded Hospital well equipped with all sorts of modern facilities available to handle any mishap.</p>
18	At least 2.5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ECS) based on local needs and action plan with financial and physical breakup details shall be prepared and submitted to the Ministry's Regional Office. Implementation of such program shall be ensured accordingly in a time bound manner.	Approximately Rs.116.18 lakhs expenditure is done during the period Apr'25-Oct'25 under CER. Separately Rs.83.52 lakhs expenditure done against CSR activities in the period Apr'25- Oct'25
19	All the commitments made during the public Hearing/public Consultation meeting held on 5.11.2016 should be satisfactorily	Complied Commitments made during Public Hearing (PH) meeting held on 05.11.2016 towards Drinking water,

	implemented and adequate budget provision should be made accordingly.	Health care, Environmental sustainability and rural development were implemented.
20	As proposed, green belt over 70 acres area shall be developed at Refinery Township area and dense plantation of around 21 acres shall be undertaken at Head works area. Selection of plant species shall be as per the CPCB guidelines in consultations with the DFO. Existing Green belt of 148 acres shall be maintained around the periphery of Refinery with a total of about 215,000 trees in the green belt.	<p>70 acres green patch is developed at JR township. Dense plantation completed in headwork's area in 21 acres. Gujarat Refinery has developed a Miyawalki in an area of 1600m² with a plantation of 1850 Trees.</p> <p>Total of 16000 saplings have been planted in head works area. Existing green belt of 148 acres is being maintained and every year about 5000 trees are planted to overcome any loss of trees.</p>

B. GENERAL CONDITIONS:

Sr. No.	Stipulations	Compliance Status as on 30.09.2024
1	The project authorities must strictly adhere to the stipulations made by the state Pollution control Board (SPCB), State Government and any other statutory authority.	Complied Gujarat Refinery strictly adheres to the stipulations made by the Gujarat Pollution Control Board with respect to air, water, and hazardous waste. GPCB has accorded consolidated Consent & Authorization (CCA) vide consent order No: AWH 115975 valid up to 30.06.2026. Time to time inspection of facility is also done by GPCB.
2	No further expansion of modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to access the adequacy of conditions imposed and to add additional environment protection measure required, if any.	Complied. Gujarat Refinery shall apply to MoEF, New Delhi for installation and commissioning of any upcoming Project. No work shall be taken up till the Environment Clearance is obtained.
3	The locations of ambient air quality monitoring stations shall be decided in consultation with the state pollution control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Complied Ambient air quality monitoring has been carried out as per the Gujarat Pollution Control Board(GPCB) consent conditions. As advised, Air quality monitoring stations are positioned in the upwind and downwind direction at spots where maximum ground level concentrations are anticipated. Monitoring stations are placed at Main Fire station observatory, QC lab, SRU, 6 th Gantry, Bajwa gate and township BOD and one at Vadodara city.
4	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (protection) Act, 1986 Rules, 1989 viz.	Complied. Noise level is regularly monitored at plant and at periphery of the Refinery. Outside the plant it remains around 75 dBA. Within the plant, in some areas it is around 85 dBA. In some cases where noise level is higher than 85 dBA within the refinery, ear plugs and ear muffs are compulsory for all the working personnel for maintaining noise level below 85 dBA.

	75 dBA (day time) and 70 dBA (night time).	
5	The company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.	Complied. Total of 75 no of RWH wells are installed at Gujarat refinery and its township covering more than 80% of catchment area as per IOCL policy of RWH.
6	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Complied Training is being imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees are conducted on regular basis. Apart from this, Material Safety Datasheet (MSDS) of the chemicals is being displayed at all process units.
7	The company shall also comply with all the environmental protection measure and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.	Complied Gujarat Refinery strictly adheres to all the environmental protection measure and safeguards proposed in the documents submitted to the Ministry. All recommendations made in the EMP and risk analysis reports have been implemented. For example: <ul style="list-style-type: none">• Air monitoring through Six continuous monitoring stations as well high volume sample of air is also done on 4 defined locations on monthly basis.• Process waste water is treated in Centralized Effluent Treatment Plant(CETP)• Continuous stack monitoring is available for SO₂, NO_x, PM & CO. In addition to this third party monitoring is also done for all stacks on monthly basis by GPCB approved agency.• Ground water and soil monitoring is being done by third party on quarterly basis by GPCB approved agency.• Environment audit by GPCB appointed external agency is being carried out every year.• Rain water harvesting (RWH) is also done on yearly basis to main the surrounding water table. Presently there are total 75 no. of recharge wells covering more than 80% of catchment area as per IOCL policy on RWH.

		<ul style="list-style-type: none"> • Regular acoustics checking is done. Similarly risk mitigation measures have been implemented like: <ul style="list-style-type: none"> • Use of superior metallurgy for H2S handling lines • Use of piping of increased wall thickness, • Higher corrosion allowance • 100% radiography for all welds • Proper inspection and maintenance procedures of mounded bullets etc are complied.
8	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.	<p>Complied.</p> <p>CSR activities are done every year involving local villages and administration.</p> <p>Approximately Rs.116.18 lakhs expenditure is done during the period Apr'25-Oct'25 under CER.</p> <p>Separately Rs.83.52 lakhs expenditure done against CSR activities in the period Apr'25-Oct'25</p>
9	The company shall undertake co-developmental measures including community welfare measure in the project area for the overall improvement of the environment.	<p>Complied</p> <p>As stated above, company is undertaking co-developmental measures including community welfare measure in the project area for the overall improvement of the environment.</p>
10	A Separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the environmental Management and Monitoring functions.	<p>Complied</p> <p>A full-fledged NABL accredited laboratory with a separate environment section for Environment related testing / analysis is available at Gujarat Refinery. This laboratory caters round the clock support for all the samples received. Pollution control laboratory equipped with sophisticated analytical equipment as per requirement of APHA and IS 3025 standards.</p> <p>Our Quality Control lab includes the section of environment monitoring with all required equipments and scientific manpower provided below. However Environment cell of HSE section is separate entity with engineers from chemical engineering back ground with special experience in environment management.</p>
11	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of	<p>Complied</p> <p>a) Adequate funds are available for implementation of the conditions stipulated by MoEF.</p>

	Environment and Forests as well as the State Government along with the implementation schedule for all the condition stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	b) It is ensured that these funds are not diverted for any other purposes
12	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilaparisad/Municipal Corporation, Urban local body and the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal.	Complied The EC letter was sent to Sarpanch of nearby villages like, Bajwa, Koyali, Karachiya, Undera, Karodiya, Angad, ganpat pura , Mahapura, Rayaka, Asaram, Sokhada, Nandesari, Ankodiya, Sindhrot, Hathipura, Khanpur, Fajalpur Sherkhi, etc, on 15.04.2017
13	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and concerned SPCB. A copy of environmental clearance and six monthly compliance status reports shall be posted on the website of the company.	Complied a) Six monthly reports are submitted to MoEF, Bhopal. Last report submitted on 01 st June, 2025. The Environment Clearance and EC compliance report is uploaded on the Company Website. Web link where the compliance report is uploaded: https://www.iocl.com/statutory-notices
14	The environmental statement for each financial year ending 31 st March in Form – V as is mandated shall be submitted to the concerned State Pollution control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Office of MoEF by e-mail.	Complied a) Environmental Statement for each financial year is submitted to Gujarat Pollution Control Board. Last Environment Statement for financial year 2024-25 was submitted to GPCB on 27.09.2025 b) Environment Statement is regularly updated on Company Website under the folder of Statutory notices.
15	The project proponent shall inform the public that the project has been	Complied

	<p>accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/committee and may also be seen at website of the Ministry at http://moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.</p>	<p>Information regarding EC was published in two newspapers i.e. English newspaper and Gujarati newspaper on 5th April 2017 and 6th April 2017 respectively.</p>
16	<p>The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and date of start of the project.</p>	<p>Complied</p>

DESCRIPTIVE REPORT ON STATUS OF COMPLIANCE TO CONDITIONS OF ENVIRONMENT CLEARANCE AND ENVIRONMENT MANAGEMENT

Compliance status (for the period of Apr'25- Sep'25) of Environmental clearance issued by MoEF, New Delhi. Environment Clearance Reference letter No. F No J 11011/370/2016-IA-II(I) Dated 05.03.2020

Detail of project: Proposed Acrylics/oxo alcohol project, creation of necessary facility for origination of Koyali-Ahmednagar-sholapur pipeline (KAHSPL) & installation of Tank Truck loading facility (TTL) for LAB and laying 9 piggable dedicated hydrocarbon service cross country pipelines (Including LPG supply and return) between refinery and Dumad in the existing Right Of Way (ROW) at Dumad

S. No.	Action Point	Status as on 31.10.2025
A. Specific Condition		
i.	Necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, shall be obtained from the State Pollution Control Board as required.	Complied CTE Granted by GPCB on 07.04.2020. CTO obtained for LMW/HMW Vide Consent order No.-AWH-19056 dtd 01.06.2022 and valid till 31.03.2027. Permission obtained for KAHSP facility through CCA Amendment order:WH-129483dtd 26.10.2023 Permission obtained for Acrylics/oxo alcohol project along with 15km RLNG pipeline vide CCA Amendment order:AWH-145398 dtd 14.08.2025
ii.	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.	Complied Authorisation for Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 obtained vide CCA Amendment order:WH-129483dtd 26.10.2023 & CCA Amendment order:AWH-145398 dtd 14.08.2025
iii.	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises.	Complied MEE based ZLD is installed as apart of project and Zero Liquid Discharge is ensured. No waste/treated water is discharged outside the premises.
iv.	The National Emission Standards for Petroleum	Complied.

S. No.	Action Point	Status as on 31.10.2025
	Oil Refinery issued by the Ministry vide G.S.R. 186(E) dated 18 th March, 2008 and G.S.R. 595(E) dated 21 st August, 2009 as amended from time to time, shall be followed.	Third party monitoring for emission is regularly being carried out in the facility.
v.	To control source and the fugitive emissions, suitable pollution control devices shall be installed with different stacks to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be dispersed through stacks of adequate height as per CPCB/SPCB guidelines.	Complied Control measures for checking fugitive emissions from vulnerable sources have been provided. Bag filter has been installed downstream the Waste water incinerator as an Air pollution control measure. Third party has been lined up for monitoring of VOC Fugitive emission. The gaseous emission will be dispersed through stacks of adequate height as per CPCB/SPCB guidelines.
vi.	Total fresh water requirement shall not exceed 8952 cum/day to be met from existing French wells. Prior permission in this regard shall be obtained from the concerned regulatory authority/CGWA.	Complied For the period Apr'25-Oct'25 the average freshwater consumption was 3066 cum/day
vii.	Process effluent/any wastewater shall not be allowed to mix with storm water. Storm - water drain shall be passed through guard pond.	Complied. Process effluent/any wastewater will be treated through the dedicated Waste Water Treatment Plant (WWTP)/Reverse osmosis plant/MEE ZLD unit) for reuse of treated water. A separate storm water guard pond is constructed with a catchment area of 1,10,000 KL .The same will be used for gardening and as cooling tower makeup.
viii.	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm, and solvent transfer to be done through pumps.	Complied Hazardous chemicals are stored in tanks, tank farms, drums, carboys etc. Flame arresters/Tank Earthing are provided on tank farm. Material transfer is being done by pumps in the process units.
ix.	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF. The ash from boiler shall be sold to brick manufacturers/cement industry.	Complied IOCL has done an MoU with GPCB approved preprocessor/Coprocessor for final disposal through cement industry.

S. No.	Action Point	Status as on 31.10.2025
x.	(x) The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.	Complied Rules and guidelines under Manufacture, Storage and import of Hazardous Chemicals (MSIHC) Rule, 1989 are being followed. Transportation of Hazardous Chemicals are as per the Motor Vehicle Act, 1989
xi.	Regular VOC monitoring to be done at vulnerable points.	Complied VOC LDAR monitoring at Dumad complex is conducted through third party M/s Nitya Laboratories
xii.	The oily sludge shall be subjected to melting pit for oil recovery and the residue shall be bio-remediated. The sludge shall be stored in HDPE lined pit with proper leachate collection system.	Complied Oily sludge with high oil content will be subjected to melting pit for oil recovery. The residual sludge with oil <10 % will be disposed off through GPCB approved pre-processor/Co-processor
xiii.	Comprehensive water audit to be conducted on annual basis and report to the concerned Regional Office of MEF&CC. Outcome from the report to be implemented for conservation scheme.	Complied. Daily basis monitoring for fresh water consumption is being done.
xiv.	Oil catchers/oil traps shall be provided at all possible locations in rain/ storm water drainage system inside the factory premises.	Complied Sluice gates have been provided. Oil catcher facility in storm water exit points are under construction.
xv.	The company shall undertake waste minimization measures as below:- a. Metering and control of quantities of active ingredients to minimize waste. b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. c. Use of automated filling to minimize spillage. d. Use of Close Feed system into batch reactors. e. Venting equipment through vapour recovery system. f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Complied. Metering is done wherever necessary to minimize wastage. The slop which is generated from the ETP facility shall be reprocessed along with crude. Automated filling system is available for the loading of the trucks. High pressure hoses are used for equipment cleaning to reduce the wastage of water.
xvi.	The green belt of 5-10 m width shall be developed in more than 33% of the total - project area, mainly along the plant periphery, in downward	Under compliance. Greenbelt is available in the periphery of the project area. Tree plantation drive

S. No.	Action Point	Status as on 31.10.2025
	wind direction, and along road a sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	has been started in the other greenbelt patches demarcated inside the battery limit.
xvii.	The fund provision for Corporate Environment Responsibility (CER) shall be provided as per the guidelines issued by the Ministry dated 1 st May 2018 and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office. .	Complied Fund as per CER guidelines will be allocated and CSR activities will be taken up for Dumad project. Beutification and development of Dumad pond has been completed under CSR
xviii.	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	Complied. Stack height is in conformity to the CPCB guidelines. Acoustic enclosure is provided to DG set for controlling the noise pollution.
xix.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	Complied <ul style="list-style-type: none"> • Flame arresters/earthing are provided in tank farm. • Material transfer is being done by pumps in the process units. • Gujarat Refinery is following ERDMP certified through PNGRB approved agency. • Quarterly onsite/offsite mock drills are conducted. Fire fighting system as per OISD norms are available.
xx.	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises. In case of the treated effluent to be utilized for irrigation/gardening, real time monitoring system shall be installed at the ETP outlet.	Complied Continuous online (24x7) monitoring system for stack emissions are installed for measurement of flue gas discharge Night vision camera shall be ensured in the storm water channel. Treated effluent will not to be utilized for irrigation/gardening,
xxi.	Occupational health surveillance of the workers shall be done on a regular basis and records	Complied Occupational health surveillance of

S. No.	Action Point	Status as on 31.10.2025
	maintained as per the Factories Act.	<p>workers are being done on regular basis and records are being maintained as per the Factories Act.</p> <p>The Gujarat Refinery has a well-established Occupational Health Centre, which harmoniously combines environmental protection and health promotion of the employee.</p> <p>Gujarat Refinery also has a well-established 24 bedded Hospital well equipped with all sorts of modern facilities available to handle any mishap.</p>

B. General Conditions:

i.	The Project Proponent shall obtain all other statutory/necessary permissions / recommendations / NOCs prior to start of construction/operation of the project, which inter alia include, permission / approvals under the Forest (Conservation) Act, 1980; the Wildlife (Protection) Act, 1972; the Coastal Regulations Zone Notification, 2019, as amended from time to time, and other Office Memoranda / Circular issued by the Ministry of Environment, Forest and Climate Change from time to time, as applicable to the project.	<p>Complied</p> <p>CTE Granted by GPCB on 07.04.2020.</p> <p>CTO obtained for LMW/HMW Vide Consent order No.-AWH-19056 dtd 01.06.2022 and valid till 31.03.2027.</p> <p>Permission obtained for KAHSPPL facility through CCA Amendment order:WH-129483dtd 26.10.2023</p> <p>Permission obtained for Acrylics/oxo alcohol project along with 15km RLNG pipeline vide CCA Amendment order:AWH-145398 dtd 14.08.2025</p>
ii.	The project proponent shall ensure compliance of 'National Emission Standards', as applicable to the project, issued by the Ministry from time to time. The project proponent shall also abide by the rules/regulations issued by the CPCB/SPCB for control/abatement of pollution.	<p>Complied</p> <p>Regular air quality monitoring is being conducted through third party at Dumad</p>
iii.	The project authorities shall adhere to the stipulations made by the State Pollution Control Board / Committee, Central Pollution Control Board, State Government and any other statutory authority.	<p>Complied</p> <p>the stipulations made by the State Pollution Control Board / Committee, Central Pollution Control Board are being adhered</p>
iv.	The project proponent shall prepare a site specific conservation plan and wildlife management plan in case of the presence of Schedule-1 species in	Not Applicable

S. No.	Action Point	Status as on 31.10.2025
	the study area, as applicable to the project, and submit to Chief Wildlife Warden for approval. The recommendations shall be implemented in consultation with the State Forest/Wildlife Department in a time bound manner.	
v.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Complied No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change
vi.	The energy source for lighting purpose shall be preferably LED based, or advance having preference in energy conservation and environment betterment.	Complied The energy source for lighting purpose used is LED based
vii.	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is Installed In the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Complied. Manual monitoring at both upwind and downwind directions started. One Continuous ambient air quality monitoring station is being installed in the upwind and downwind direction at Dumad.
viii.	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16 th November, 2009 shall be followed.	Complied
ix.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Complied. Noise monitoring is being conducted on monthly basis and standards are followed.
x.	The Company shall harvest rainwater from the roof tops of the buildings and storm \ water drains to recharge the ground water and to utilize the	A guard pond has been constructed to collect the run off water from roof tops of the buildings and storm \ water

S. No.	Action Point	Status as on 31.10.2025
	same for process requirements.	drains. The water shall be used as cooling tower makeup and for gardening purpose.
xi.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Complied Training is being imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees are conducted on regular basis. Apart from this, Material Safety Datasheet (MSDS) of the chemicals is being displayed at all process units.
xii.	The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Complied Gujarat Refinery strictly adheres to all the environmental protection measure and safeguards proposed in the documents submitted to the Ministry. All recommendations made in the EMP and risk analysis reports are implemented.
xiii.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented.	Complied Fund as per CER guidelines is being allocated and CSR activities will be taken up for Dumad project.
xiv.	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Complied Company will undertake eco-developmental measures including community welfare measure in the project area for the overall improvement of the environment.
xv.	A separate Environmental Management Cell (having qualified person with Environmental Science / Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied At JR, A separate Environmental Management Cell in form of HSE department is looking after for monitoring and adherence to related statutory compliance with qualified Engineers.
xvi.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the	Complied a) Adequate funds are available for

S. No.	Action Point	Status as on 31.10.2025
	Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	implementation of the conditions stipulated by MoEF. b) This is ensured that these funds are not diverted for any other purposes
xvii.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla-Parishad /Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied Copy of the clearance letter published in Times Of India in English language and Divya Bhaskar in Gujarati language dated:10.03.2020.
xviii.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied a) Six monthly reports are submitted to MoEF, Bhopal. Last report submitted on 01 st June, 2025. The Environment Clearance and EC compliance report is uploaded on the Company Website. Web link where the compliance report is uploaded: https://www.iocl.com/statutory-notices
xix.	The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Complied a) Environmental Statement for each financial year is submitted to Gujarat Pollution Control Board. Last Environment Statement for financial year 2024-25 was submitted to GPCB on 27.09.2025 b) Environment Statement is regularly updated on Company Website under the folder of Statutory notices.
xx.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://www.iocl.com/statutory-notices	Complied. Copy of the clearance letter published in Times Of India in English language and Divya Bhaskar in Gujarati language dated: 10.03.2020.

S. No.	Action Point	Status as on 31.10.2025
	//parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Noted and Agreed.
xxi.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Complied
xxii.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted and Agreed.

DESCRIPTIVE REPORT ON STATUS OF COMPLIANCE TO CONDITIONS OF ENVIRONMENT CLEARANCE AND ENVIRONMENT MANAGEMENT

Compliance status (for the period of Apr'25- Sep'25) of Environmental clearance issued by MoEF, New Delhi. Environment Clearance Reference letter No. **F NO IA J 11011/93/2018-IA-II(I)** dated **05.01.2021**

Detail of project: Expansion cum Modernisation of Gujarat Refinery from 13.7 to 18 MMPTA with Lube and Petro Chemical Integration((LuPech), LAB Revamp and N-Butanol Project at Koyali, District Vadodara(Gujarat) by M/s. Indian Oil Corporation Limited-Environmental Clearance- reg

S. No.	Action Point	Status as on 31.10.2025
	General Condition	
12.0	Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-3), Ministry of Environment, Forest and Climate change hereby accords environmental clearance to the project for Expansion cum Modernization of Gujarat Refinery from 13.7 to 18 MMPTA with Lube & Petro chemical Integration (LuPech), LAB Revamp and N-Butanol Project by M/s Indian Oil Corporation Limited located at Koyali, District Vadodara, Gujarat, under the provisions of the EIA Notification, 2006, subject to the compliance of terms and conditions as under:-	
i	<p>The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the earlier EIA/EMP report and updated in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.</p>	<p>Complied.</p> <p>Gujarat Refinery strictly adheres to all the environmental protection measure and safeguards proposed in the documents submitted to the Ministry.</p> <ul style="list-style-type: none"> • The tanks used for storage of the products are according to the OISD standard requirements • Nil sulphur fuel RLNG is used in Furnaces to ensure SO2 free flue gas • Low NOx burners provided to reduce the emissions of Nitrogen Oxides (NOx). • combustion air preheaters are installed to increase furnace efficiency

S. No.	Action Point	Status as on 31.10.2025
General Condition		
		<ul style="list-style-type: none"> Engineering controls such as Minimum number of flanges/valves, High grade gasket material for packing, Usage of pumps with Double Mechanical seals for light hydrocarbon services, Provision of seals in the drains and manholes ensured to control any VOC emission from the process unit Regular LDAR program is conducted to detect any VOC leak from the units and action is taken to repair the leak immediately. <p>Apart from this Ambient air, stack emission, Groundwater, Treated effluent parameters are closely monitored through online analysers and third party manual monitoring to adhere to the standards as per EP act.</p>
ii	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development / horticulture.	Noted for compliance. ZLD is part of the project.
iii	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	<p>Being Complied</p> <p>Continuous online (24x7) monitoring system for stack emission parameters of CO,PM,SO₂, NO_x have been installed in Furnace stacks of all the units commissioned till date. The data of furnace stacks having heat duty of more than 10 GKcal/hr has been connected to GPCB/SPCB server</p> <p>Online continuous monitoring of the treated effluent is being done with the help of online analysers. ETP along with ZLD</p>

S. No.	Action Point	Status as on 31.10.2025
	General Condition	system will be commissioned as per EC guidelines and unit shall install web camera with night vision capability
iv	The National Emission Standards for Petroleum Oil Refinery issued by the Ministry vide G.S.R. 186(E) dated 18th March, 2008 and G.S.R.595(E) dated 21st August, 2009 as amended from time to time, shall be followed.	Complied. Third party monitoring for stack emission treated effluent discharge is being carried out in the facility through both online analysers and manual monitoring. The Furnaces and the ETP is designed to control the emissions and treat the effluent as per the standards given in G.S.R. 186(E). All the vehicle being permitted in the industrial premises follow the motor vehicle amendment rules,2016 as per G.S.R.595(E). The same is being ensured by thorough check of all the original documents of the vehicle.
v	Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. For emission control and management, use of FG/NG in heater as fuel, adequate stack height, use of Low NOX burners in heater & boiler, continuous stack monitoring, Sulphur recovery plant, etc. shall be installed / ensured.	Complied <ul style="list-style-type: none"> Engineering controls such as Minimum number of flanges/valves, High grade gasket material for packing, Usage of pumps with Double Mechanical seals for light hydrocarbon services, Provision of seals in the drains and manholes ensured to control any VOC emission from the process unit Regular LDAR program is conducted to detect any VOC leak from the units and action is taken to repair the leak immediately. For emission control, low Nox burners and low sulphur fuel /RLNG is used. Adequate stack height is designed after emission dispersion modelling. Continuous stack monitoring is done by installation of online analysers

S. No.	Action Point	Status as on 31.10.2025
	General Condition	
		600 TPD designed sulphur recovery unit is available in Gujarat refinery whereas actual sulphur available is only 400-450 TPD. Also, a new SRU is being installed under the lupech project in next phase as per the EC.
vi	Occupational health center for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	<p>Complied</p> <ul style="list-style-type: none"> Occupational health centre is set up for Gujarat refinery beside the hospital. Regular health monitoring of the employees are done at OHC. For those employees who works in the Hazardous environment, frequent medical check up is done to ensure the proper health parameters. <p>All workers & employees are provided with required safety kits/mask for personal protection.</p>
vii	Process safety and risk assessment studies shall be carried out using advanced models in repeated intervals, and the mitigating measures' shall be undertaken/implemented accordingly.	<p>Complied</p> <ul style="list-style-type: none"> HAZOP, QRA & RRA assessment studies are conducted whenever new projects being taken up. <p>Overall refinery HAZOP and QRA are conducted in every five years as a part of compliance and all the recommendations are complied with.</p>
viii	The storage of toxic/hazardous raw material/products shall follow all the safety norms and best practices to avoid any leakage/explosion/emissions. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	<p>Complied</p> <ul style="list-style-type: none"> Hazardous chemicals are stored in tanks, tank farms, drums, carboys etc. Flame arresters/earthing are provided on tank farm. Material transfer is being done by pumps in the process units. Gujarat Refinery is following ERDMP certified through PNGRB approved agency. Quarterly onsite/offsite mock drills are conducted.

S. No.	Action Point	Status as on 31.10.2025
General Condition		
		<p>Full-fledged fire protective measures are available, which includes:</p> <ul style="list-style-type: none"> • 11 fire tenders consist of 2 foam nurser, • One emergency rescue tender • One hydraulic platform for firefighting and rescue operation at height. • Charged Fire water network all across the units and building <p>Fire-fighting facilities are updated time to time as per norms.</p>
ix	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Training is being imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees are conducted on regular basis. Apart from this, Material Safety Datasheet (MSDS) of the chemicals is being displayed at all process units.
x	Total additional fresh water requirement shall not exceed 45456 cum/day proposed to be met from wells at Mahiriver and from treated Municipal waste water. Necessary permission in this regard shall be obtained from the concerned regulatory authorities, and renewed from time to time.	Noted for compliance
xi	Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.	<p>Being complied.</p> <p>Total 75 no of Rain Water Harvesting wells are installed at Gujarat refinery and its township as per IOCL policy of RWH.</p> <p>Moreover, Rainwater harvesting is planned from the new non plant buildings which are under construction under the LuPeCH Project.</p> <p>Process effluent will be in closed loop and designed not to mix with storm water.</p>
xii	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw	<p>Noted for compliance.</p> <p>Incorporated in basic Process design.</p>

S. No.	Action Point	Status as on 31.10.2025
	General Condition	
	material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	
xiii	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Complied. Metering is done wherever necessary to minimize wastage. The slop which is generated from the ETP facility shall be reprocessed along with crude. Automated filling system is available for the loading of the trucks. High pressure hoses are used for equipment cleaning to reduce the wastage of water.
xiv	The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made during public hearing shall be satisfactorily implemented. Preference shall be given to local villagers for employment in the unit.	Being complied All the Commitments as per the EMP shall be fulfilled upon the completion of the whole project. Preference will be given to local villagers for employment in the unit.
xv	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied At Gujarat Refinery, a separate Environmental Management Cell in form of HSE department is looking after for monitoring and adherence to related statutory compliance with qualified Engineers.
12.1	The grant of environmental clearance is further subject to compliance of other general conditions as under:-	
i	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of	Complied Gujarat Refinery strictly adheres to all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. No further

S. No.	Action Point	Status as on 31.10.2025
	General Condition	
	deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change
ii	The energy source for lighting purpose shall be preferably LED based, or advance having preference in energy conservation and environment betterment.	Complied. The energy source for lighting purpose is completely LED based. All the fluorescent lights in the existing premises also have been replaced with LED lights
iii	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one Station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Complied Presently Six Continuous ambient air quality monitoring stations are available in the industry premises and periphery to monitor the ambient air quality. Apart from this, a mobile van with CAAQMS is operated by IOCL in the nearby villages to monitor the ambient air quality in the surroundings. The locations of New ambient air quality monitoring stations have been finalized one in upwind & one in downwind direction in consultation with GPCB RO. An official communication in this regard has been submitted to GPCB. The CAAQMS stations will be commissioned before the completion of the LuPech project as mentioned in EC.
iv	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16" November, 2009 shall be followed.	Complied The National Ambient Air Quality Emission Standards are being monitored through dedicated Six CAAQMS stations and manual monitoring in the upstream & downwind direction. The number of samples in the manual monitoring adhere to the G.S.R.826 (E)
v	The overall noise levels in and around the plant area shall be kept well within the Standards by providing noise control	Complied. Noise level is regularly monitored at plant and at periphery of the Refinery. Outside

S. No.	Action Point	Status as on 31.10.2025
	General Condition	
	measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	the plant it remains around 75 dBA. Wherever the noise level is high , ear plugs/ear muffs are used by the work force in the area. High noise emitting equipments such as compressors are installed inside enclosures to limit the noise.
vi	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and to utilize the same for process requirements.	Complied Total 75 no of Rain Water Harvesting wells are installed at Gujarat refinery as per IOCL policy of RWH. Moreover, Rainwater harvesting is planned from the new non plant buildings which are under construction under the LuPeCH Project.
vii	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Complied Training is being imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees are conducted on regular basis. Apart from this, Material Safety Datasheet (MSDS) of the chemicals is being displayed at all process units.
viii	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration.	Being complied Fund as per CER guidelines will be allocated and CSR activities will be taken up for Lupech project.
ix	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Being complied As stated above, company is undertaking co-developmental measures including community welfare measure in the project area for the overall improvement of the environment.
x	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring	Complied At Gujarat refinery, a separate Environmental Management Cell in form of HSE department is looking after for monitoring and adherence to related statutory compliance with qualified Engineers.

S. No.	Action Point	Status as on 31.10.2025
	General Condition functions.	
xi	<p>The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.</p>	<p>Complied</p> <p>a) Adequate funds are available for implementation of the conditions stipulated by MoEF.</p> <p>b) It is ensured that these funds are not diverted for any other purposes</p>
xii	<p>A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.</p>	<p>Complied</p> <p>Copy of the clearance letter published in Times Of India in English language and Gujarat Samachar in Gujarati language dated: 12.01.2021.</p>
xiii	<p>The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.</p>	<p>Complied</p> <p>a) Six monthly reports are submitted to MoEF, Bhopal. Last report submitted on 01st June, 2025.</p> <p>The Environment Clearance and EC compliance report is uploaded on the Company Website.</p> <p>Web link where the compliance report is uploaded:</p> <p>https://www.iocl.com/statutory-notices</p>
xiv	<p>The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.</p>	<p>Complied</p> <p>a) Environmental Statement for each financial year is submitted to Gujarat Pollution Control Board.</p> <p>Last Environment Statement for financial year 2024-25 was submitted to GPCB on 27.09.2025</p> <p>b) Environment Statement is regularly updated on Company Website under the folder of Statutory notices.</p>

S. No.	Action Point	Status as on 31.10.2025
General Condition		
xv	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied Copy of the clearance letter published in Times Of India in English language and Gujarat Samachar in Gujarati language dated: 12.01.2021.
xvi	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted for compliance The same shall be complied with upon financial closure and final approval of the project. Presently the Projects under the EC is under construction and is planned to be commissioned in different phases. The complete project is anticipated to be commissioned by Dec'27
xvii	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted